



# THE SEED CONSULTANT

A QUARTERLY NEWSLETTER NEWS AND VIEWS FROM THE FIELD

## HOW TO REDUCE DON LEVELS IN CORN

Limiting the risk of DON in your grain

## WET SPRING MEANS SCOUTING CORN FIELDS

It might be time to consider a fungicide

## DO YOU HAVE PROBLEMS WITH SOYBEAN CYST NEMATODE

Symptoms may appear as early as July 1

## SEED CONSULTANTS 2024 FIELD DAY SCHEDULE

Plan to attend one of multiple events scheduled



# HOW TO REDUCE DON LEVELS IN CORN

**By J.D. Bethel, CCA**

Director of Agronomic Services

937-243-8825

jd.bethel@seedconsultants.com

DON (Deoxynivalenol) or vomitoxin in corn grain has been an issue of increasing importance the last several years. High DON levels in grain can lead to severe penalties or rejection of grain by end-users. In livestock feed, high DON levels will cause animals to stop eating food altogether with swine being the most sensitive while poultry and beef are less sensitive.

This article will help with identifying the causes of DON, and include mitigation practices that farmers can use to limit the risk of DON in their grain.

The fungus *Gibberella zeae* causes Gibberella ear rot is also known as *Fusarium graminearum* which causes Fusarium Head Scab in wheat. This pathogen causes DON in both corn and wheat and overwinters in plant residue before infecting future crops.

Gibberella ear rot is identified by pink or reddish mold that is first established at the tip of the ear, and in ideal disease conditions, will progress towards the base of the ear. Infection occurs during silking and disease severity is increased by prolonged periods of rain during

Animal	Maximum DON Level Allowed
Swine	<b>5 ppm</b> Not to exceed 20 percent of ration with finished feed = 1 ppm
Ruminating beef and feedlot cattle (more than 4 months old)	<b>10 ppm</b> Not to exceed 50 percent of diet with finished feed = 5 ppm
Poultry	<b>10 ppm</b> Not to exceed 50 percent of diet with finished feed = 5 ppm
All other animals	<b>5 ppm</b> Not to exceed 40 percent of diet

\*These levels have been established by the U.S. Food and Drug Administration.

grain fill. Fungal growth will continue if grain moisture is above 22 percent and air temperatures are near 80°F.

To prevent Gibberella ear rot grower need to take several factors into consideration.



Source: Purdue University

## MANAGEMENT OF GIBBERELLA EAR ROT

Crop rotation and management of crop residue is required to prevent habitat for the pathogen to overwinter on. Corn that is no-till planted into wheat straw or corn stalks will have a higher risk of Gibberella ear rot compared to corn planted into soybean stubble.

Hybrid selection can play a role in whether Gibberella ear rot could be an issue. Ear characteristics like husk tightness and length both play a role in moisture retention.

Fungicides can be used to manage Gibberella ear rot, however, applications need to be made during silking in order to be effective. The period between silk emergence and brown silk is up to 10 days but the critical period for fungicide application is in the first 4-5 days after silking

begins. Please read fungicide labels to confirm effectiveness against Gibberella ear rot.

If Gibberella ear rot is detected, those fields should be prioritized for early harvest. Infected fields should be harvested at 25 percent moisture and dried down as quickly as possible. Fungal growth stops below grain moisture of 18 percent so grain dried for storage should not see further increases in DON levels.

**Further details can be found at the following websites:**

<https://www.extension.purdue.edu/extmedia/BP/BP-77-W.pdf>

<https://cropprotectionnetwork.org/encyclopedia/gibberella-ear-rot-of-corn>





# WET SPRING MEANS SCOUTING CORN FIELDS

**By Jordan Bassler**

Corn Product Lead, Field Agronomist

570-980-3906

jordan.bassler@seedconsultants.com

Wet weather during planting has presented farmers with numerous challenges. These conditions have created an ideal environment for insects to thrive and feed on corn, facilitating fungal disease growth. The resulting damage from high insect pressure and feeding can significantly reduce stand and plant health and ultimately affect corn yield. Consequently, using fungicides becomes a vital strategy for protecting corn crops.

When insects feed on the early stages of corn growth, they damage the plant tissues, providing entry points for pathogens. This can lead to diseases such as gray leaf spot and northern corn leaf blight, which thrive in wet conditions and can cause substantial yield loss if not managed properly.

If you see signs of insect damage as you scout your fields, you may want to consider fungicide application.

## WHAT YOU SHOULD KNOW ABOUT FUNGICIDES:

- **Reduce Plant Stress** Fungicides can enhance the overall health of corn plants by reducing stress. They improve nitrogen utilization and minimize water loss, which helps the plants better withstand short drought periods.
- **Yield Increase** Fungicides can increase yield by controlling diseases and reducing plant stress. Studies have shown that a well-timed fungicide application can increase kernel counts and weights, improving overall yield.
- **Extended Grain Fill Period** Fungicides can delay plants' natural aging process, allowing them to stay greener longer and have better grain fill. This results in better quality and test weight.
- **Better Standability** Healthy plants with reduced disease pressure have stronger stalks,

making them less likely to lodge and are easier to harvest.

**ACTION STEPS:**

- 1. Start scouting fields for diseases before reproductive stages to identify insect damage and diseases like corn leaf blight and grey leaf spot.
- 2. Apply foliar fungicide that is curative and preventative. Fungicides control diseases by preventing the fungus from infecting the plant or curing an existing infection. This is crucial in maintaining plant health and ensuring the corn can continue growing and developing correctly.
- 3. By mid-July, farmers should aim to apply fungicides soon if they haven't already. The pre-tassel stage is ideal as it allows the fungicide to protect the vital parts of the plant during a period of high disease pressure. For corn, the critical stage for fungicide application is around the V10 stage, just before tasseling. This timing ensures that the fungicide protects the ear leaf and the

**While fungicide applications can be costly, ranging from \$30 to \$40 per acre, the potential yield gains often justify the expense.**

leaves above it, which are crucial for grain fill.

**ECONOMIC CONSIDERATIONS**

While fungicide applications can be costly, ranging from \$30 to \$40

per acre, the potential yield gains often justify the expense. Studies have shown that fungicides can increase corn yields by an average of 7.4 bushels per acre under conditions of high disease pressure.

The challenging spring weather in the Midwest has set the stage for increased disease pressure in corn. Utilizing fungicides can provide preventative and curative benefits, helping control diseases, reduce plant stress, and improve yields. As we move into the critical growth stages of corn, timely fungicide applications can significantly affect crop outcomes.

Stay vigilant, and may your corn fields thrive this season!

# EARLY CASH DISCOUNTS

Seed Consultants offers opportunities to maximize seed cost savings through an early cash discount schedule for the 2025 planting season.

**CASH DISCOUNTS**

16.5%.....	August	8%.....	January
14%.....	September	6%.....	February
13%.....	October	4%.....	March
12%.....	November	2%.....	April
10%.....	December-January 10		

If you have any questions, please call the office at 800-708-2676.



# DO YOU HAVE PROBLEMS WITH SOYBEAN CYST NEMATODE?

**By Matt Hutcheson, CCA**

Soybean Product Lead, Field Agronomist  
937-414-6784  
matt@seedconsultants.com

Typically, soybeans may begin to show symptoms of Soybean Cyst Nematode (SCN) damage by July 1. SCN is a parasitic roundworm that feeds on the soybean root system. The cyst stage of the nematode's life cycle is when the female nematode is filled with eggs. Cysts are visible throughout the summer on soybean roots and will appear as small, white, and lemon-shaped. After the female matures, these cysts are hard to see. When trying to identify SCN presence on soybean roots, it is important not to confuse cysts with Rhizobium nodules (where N fixation takes place).

## HOW CAN YOU DETERMINE IF SCN IS CAUSING DAMAGE AND YIELD LOSS TO YOUR SOYBEANS?

Injury symptoms include yellowing and stunting of plants. These symptoms may appear in

patches of a field. These patches may grow from year to year; especially in the direction a field is tilled. Symptoms may become worse when plants are under other stresses in addition to SCN injury and can be confused with other issues, such as nutrient deficiencies. Soil in fields where SCN damage is suspected should be sampled and sent to a lab for analysis. The population level of SCN will determine the specific practices required to manage the problem.

## MANAGEMENT OPTIONS TO CONSIDER

Depending on the population level and the amount of damage being done, growers will have a few management options to consider. Planting soybean varieties with resistance to SCN is critical in fields where the parasite is present. Rotation away from soybeans to a non-host crop (such as corn) can also lessen the amount of SCN

injury. In high population fields growers should rotate to a non-host crop for multiple years. It is also important to effectively control weeds, some of which can be SCN hosts as well. The following chart adapted from OSU Extension Fact Sheet AC-39-10 (<http://ohioline.osu.edu/ac-fact/pdf/0039.pdf>) lists other host plants of SCN.

OTHER HOSTS OF SCN	
Crop Plants	Weed Plants
Alsike clover	Hemp sesbania
Bird's-foot trefoil	Common and mouseear chickweed
Green beans, dry beans	Common mullein
Common and hairy vetch	Henbit
Cowpea	Milk and wood vetch
Crimson clover	Pokeweed
Crown vetch	Common purslane
Lespedezas	Spotted geranium
Pea	Wild mustard
White and yellow lupine	Purple deadnettle
Sweet clover	Field pennycress
	Shepherd's-purse



# SEED CONSULTANTS

## 2024 FIELD DAY

## SCHEDULE

Please join us at one of the following events in your area!

WEEKDAY	DATE	TIME	LOCATION
WEDNESDAY	AUG. 14	12:00 P.M.	Field Day-Warner Seeds, Bradford, Ohio... between Greenville & Piqua on Rt. 36; south on Rt. 721; east on Panther Creek Rd.
TUESDAY	AUG. 20	6:30 P.M.	Field Day-Buckler Farms, 499 Pleasureville Road, Pleasureville, KY 40057
TUESDAY	AUG. 20	6:00 P.M.	Field Day-Bob Brown, 1800 Lancaster Rd., Chillicothe, Ohio 45601
WEDNESDAY	AUG. 21	5:00 P.M.	Field Day-Maria Stein Grain, 1/2 Mile east of Chickasaw on SR 274
THURSDAY	AUG. 22	12:00 P.M.	Field Day-Seed Consultants WCH, 648 Miami Trace Rd SW
SATURDAY	AUG. 24	8:00 A.M.-12:00 P.M.	Field Day-Lykens Valley Roller Mills Customer Appreciation Day, 289 Shiffer's Mill Rd, Millersburg PA
TUESDAY	AUG. 27	12:00 P.M.-6:00 P.M.	Field Day-Fischer Farms, LLC. East of Ansonia on St.Rt. 47
THURSDAY	AUG. 29	6:00 P.M.	Field Day-Bill & Bob Black, Lockbourne, Ohio
WEDNESDAY	SEPT. 4	5:00 P.M.	Field Day-Maria Stein Grain, 4737 Palestine-Union City Road, Palestine, OH (just north of SR 36)
THURSDAY	SEPT. 5	10:00 A.M.-12:00 P.M.	Field Day-Union Agro Services- 1765 Orchard Road, Mifflinburg, PA
THURSDAY	SEPT. 5	6:00 P.M.	Field Day-Camp Warsaw; 818 E. Main St., Warsaw, OH 43844
THURSDAY	SEPT. 5	6:00 P.M.	Field Day-Walter Bros., N. of Walnut Corner Rd. on 600 W., Pennville, IN
THURSDAY	SEPT. 5	6:00 P.M.	Field Day-United Equity Route 66 half mile north of US 30, Delphos, OH
THURSDAY	SEPT. 5	6:00 P.M.	Field Day-10392 Beloit-Snodes Rd., Beloit, Ohio 44609
THURSDAY	SEPT. 5	11:00 A.M.	Field Day-S.E. Hodge Farms 1/4 mile north of 5310 Rudy Road on Rudy Road, Tipp City, OH 45371
FRIDAY	SEPT. 6	12:00 P.M.	Customer Appreciation Day-Mark Wolfe--Wolfe Warehouse, 12394 Bethlehem Clairbourne Rd. Richwood, Ohio
WEDNESDAY	SEPT. 11	6:00 P.M.	Field Day-Clark Seeds, Marengo, Ohio... 956 Co Rd 204
THURSDAY	SEPT. 12	6:00 P.M.	Field Day-Fox Farm, 8379 State Route 204, Thornville, OH 43076

WE WILL BE ADDING ADDITIONAL FIELD DAYS THIS SUMMER.  
Check out [SeedConsultants.com](https://SeedConsultants.com) for the complete list!



# FINANCING

## SEED CONSULTANTS, INC.

### TWO GREAT FINANCING CHOICES FOR 2024-2025

#### 0% THROUGH JOHN DEERE FINANCIAL

#### 0% THROUGH RABO AGRIFINANCE

These financing programs are only available to John Deere Financial Preferred Customers and/or RABO AgriFinance approved customers. To apply for a John Deere Financial Preferred Account or RABO account or to increase your John Deere Financial or RABO line of credit, contact John Deere Financial (800-433-8964) or RABO (888-395-8505), so the necessary paperwork may be completed with John Deere Financial &/or RABO.

#### JOHN DEERE FINANCIAL & RABO GUIDELINES

- Must be a John Deere Financial Preferred Customer or approved by RABO AgriFinance.
- Approval and credit limits established by John Deere Financial &/or RABO...not by SCI.
- Terms and conditions apply. See respective credit applications for full terms and disclosures.
- To increase or establish your credit line call John Deere Financial (800-433-8964) or RABO (888-395-8505).
- Must be enrolled and approved to qualify for discounts.
- Discounts applied on approval date from John Deere Financial &/or RABO.
- Signed terms of disclosure on file.
- Minimum purchase of \$1,000.
- Due date of December 2025.

**For John Deere Financial customers with current special terms balances at or near their credit limit, they may have an option to enable their seed purchase now and lock in their order. Contact your SCI Seedsman for details.**

Finance Plan	DISCOUNT SCHEDULE	
	John Deere Financial	RABO
Purchase & Approval Date	Fixed 0%	Fixed 0%
August 2024	7.0%	7.0%
September 2024	4.5%	4.5%
October 2024	3.5%	3.5%
November 2024	2.5%	2.5%
December - January 10, 2025	1.0%	1.0%
January 2025	0.0%	0.0%
February 2025	0.0%	0.0%
March 2025	0.0%	0.0%
April 2025	0.0%	0.0%
May 2025	0.0%	0.0%
In Season	0.0%	0.0%

# St. Maarten

## SEED CONSULTANTS 2025 CUSTOMER TRIP JANUARY 19-25

### ST. MAARTEN TRIP PACKAGE

- 7 Days, 6 nights accommodation in Junior Suites at the Sonesta Ocean Point Resort
- Breakfast, lunch, dinner & snacks at your choice of restaurants on property
- Alcoholic and non-alcoholic drinks, bottled water, specialty coffees and teas at all the food and beverage outlets
- Private Welcome Party for SCI
- Private Farewell Party for SCI
- Round-Trip transportation to Orient Beach for a day
- Round-Trip Airport Transfers
- Complimentary Wi-Fi in the public areas and guest rooms
- Mini-bar refreshments including bottled water, soft drinks and beer
- 24-Hour Room Service
- Fitness Center and Daily Activities
- All Taxes, Fees and Gratuities at the Resort

### SONESTA OCEAN POINT

Sonesta Resorts St. Maarten is a duo of stunning ocean-front, all-inclusive properties.

Each of the 130 luxurious suites at the Sonesta Ocean Point Resort face the ocean and feature a chic contemporary design.

With a white sandy beach, beach cabanas, and snorkeling, this property is the perfect place to soak up some sun. Indulge in a hot stone massage, body wrap, and a facial at the Serenity Spa. Be sure to enjoy a meal at any of the restaurants which feature a wide variety of cuisines and ocean views. Several bars, multiple pools, state-of-the-art fitness center, and nightly entertainment are available for guests to enjoy.

This award-winning resort is just minutes from beaches, nightlife, shopping, golf and Casino Royale – the largest gaming emporium and theater on the island.

### Trip Cost (Excluding Air) at Sonesta Ocean Point Resort:

- Single Occupancy: \$3,621.00 (1 Adult in a Room)
- Double Occupancy: \$4,852.00 (2 Adults sharing a Room)
- Maximum capacity in a guest room is two regardless of age.

### Air Costs:

- Air is not included with the above trip costs, but must be booked through MTI Events in order to attend the trip.
- If attendee wishes to check current airfare rates before registering and submitting the non-refundable deposit, they may call MTI Events at 913-438-2600 x 118. Hours are Monday – Friday, 9:00 AM – 5:00 PM EST. Airfare rates are subject to change until ticketed.
- After registration has been submitted and non-refundable deposit received, MTI Events will email the attendee with flight options and costs. There are no restrictions on fares or departure city.
- Attendee is responsible for any costs associated with flight changes.
- Airline points may be used to book airfare. Tickets must be booked directly with the airline. MTI has no control over frequent flier seat availability.

### Payments:

- \$500 (per person) non-refundable deposit due after online registration and before air is booked.
- Full trip payment is due by Friday, November 22, 2024 and is non-refundable.

**SIGN UP ONLINE NOW VIA THE LINK ON  
[WWW.SEEDCONSULTANTS.COM](http://WWW.SEEDCONSULTANTS.COM)**

All checks should be for trip expenses only and made payable to  
MTI Events • ATTN: Alyssa Hunter  
10400 W. 103rd Street, Suite 10  
Overland Park, KS 66214

**MEETING PLANNER CONTACT INFORMATION:**  
Phone: 913-438-2600  
Hours: Monday – Friday 9A – 5P EST  
[alyssa@mtievents.com](mailto:alyssa@mtievents.com)



# LEADER UPDATE

**By Daniel Call, CCA**

General Manager  
danielcall@seedconsultants.com

Like many springs in our footprint, this year has dealt us our share of weather challenges. As I write this note, about 15% of the corn and 25% of the soybeans remain unplanted in our market area. This ranges from areas which have been completed with planting for over a month, to areas only about 50% planted. Lessons learned over the past 10 years, several with a similar spring rain pattern, have shown us we still have the potential to harvest a very good crop in 2024.

As we complete planting, we need to immediately shift our focus to aggressive crop scouting this year. One lesson we have learned during recent springs is that crop issues will be prevalent following a planting season such as this year. However, many of the issues we will experience can be fixed if we catch the problem early and take immediate action to correct it. Disease control, nutrient management and weed control are the three primary agronomic concerns we have over the next 60 days. We've had many conversations with customers regarding these three key agronomic challenges already this growing season. It's imperative we all continue to scout throughout the growing season to stay ahead of these issues to mitigate the stress to our crop.

It's hard to believe we are on the cusp of kicking off our 2025 sales year. This year we are excited to fully launch several new revolutionary technologies to our customers. We soft launched a few PowerCore® Enlist® corn and Vorceed®

Enlist® corn hybrids for planting in the spring of 2024. As we move into the 2025 planting season, we will have a more complete lineup of these trait offerings. What makes these two corn traits so superb are the new pest control options they bring to your farm. Combine the elite germplasm we will be offering PowerCore® Enlist® corn and Vorceed® Enlist® corn hybrids in a package that offers the most robust over the top chemical options ever in corn production. It's easy to see why we are so excited to get these new products in front of our customers.

As we turn to the spring of 2025, our soybean lineup will be 100% Next Generation Enlist E3® soybean varieties. We have been making this transition over the past two years. These varieties bring superior agronomic traits and outstanding yield potential. These new products are showing significant yield advantage to the class of soybeans we released just two years ago. I am confident you will see just how much these varieties will improve upon what we already felt was an outstanding lineup!

We are looking forward to seeing you at a field day this summer. Allow us the opportunity to share with you all the new products we have to offer. I am sure you will also see how our newer lineup will deliver many agronomic benefits and production gains to your farm in 2025. Please have a safe growing season. See you this summer at a field day near you!



## Seed Consultants

P.O. Box 370

648 Miami Trace Rd. S.W.

Washington Court House, OH 43160

## Don't miss a thing

The SCI free e-newsletter comes via e-mail every Monday. The newsletter is packed full of current agronomic topics. Subscribe by sending your e-mail address to [matt@seedconsultants.com](mailto:matt@seedconsultants.com) or by signing up on our website at [www.seedconsultants.com](http://www.seedconsultants.com).

## Editorial Board

### Alissa Armstrong

Marketing Communications Manager  
937-605-0737 - Mobile  
[alissa.armstrong@seedconsultants.com](mailto:alissa.armstrong@seedconsultants.com)

### Daniel Call, CCA

General Manager  
[danielcall@seedconsultants.com](mailto:danielcall@seedconsultants.com)

### J.D. Bethel, CCA

Director of Agronomic Services  
937-243-8825  
[jd.bethel@seedconsultants.com](mailto:jd.bethel@seedconsultants.com)

### Matt Hutcheson, CCA

Soybean Product Lead, Field Agronomist  
937-414-6784 - Mobile  
[matt@seedconsultants.com](mailto:matt@seedconsultants.com)

### Jordan Bassler

Corn Product Lead, Field Agronomist  
570-980-3906  
[jordan.bassler@seedconsultants.com](mailto:jordan.bassler@seedconsultants.com)



The information provided within this newsletter is not a substitute for advice concerning your specific situation. The information contained herein is general and educational in nature. Because each situation is different and each recommendation is specifically tailored for each customer, the information contained herein should never be used to determine your course of action.

**Agrisure®** is a registered trademark of, and used under license from, a Syngenta Group Company. Agrisure® technology incorporated into these seeds is commercialized under a license from Syngenta Crop Protection AG.

**Q (Qrome®)** Contains a single-bag integrated refuge solution for above- and below-ground insects. The major component contains the Agrisure® RW trait, the Bt trait, and the Herculex® XTRA genes. In EPA-designated cotton growing counties, a 20% separate corn borer refuge must be planted with Qrome products. Qrome® products are approved for cultivation in the U.S. and Canada. They have also received approval in a number of importing countries, most recently China. For additional information about the status of regulatory authorizations, visit <http://www.biotradestatus.com/>.

**Liberty®, LibertyLink®** and the **Water Droplet logo** are trademarks of BASF Corporation. Seed products with the LibertyLink® (LL) trait are resistant to the herbicide glufosinate ammonium, an alternative to glyphosate in corn, and combine high-yielding genetics with the powerful, non-selective, postemergent weed control of Liberty® herbicide for optimum yield and excellent weed control.

**Roundup Ready®** is a registered trademark used under license from Monsanto Company.

**AM - Optimum® AcreMax® Insect Protection system with YGCB, HX1, LL, RR2.** Contains a single-bag integrated refuge solution for above-ground insects.

**AMXT (Optimum® AcreMax® XTreme)** Contains a single-bag integrated refuge solution for above- and below-ground insects. The major component contains the Agrisure® RW trait, a Bt trait, and the Herculex® XTRA genes.

In EPA-designated cotton growing counties, a 20% separate corn borer refuge must be planted with Optimum AcreMax and Optimum AcreMax XTreme products.

**HX1** Contains the Herculex® I Insect Protection gene which provides protection against European corn borer, southwestern corn borer, black cutworm, fall armyworm, lesser corn stalk borer, southern corn stalk borer, and sugarcane borer; and suppresses corn earworm.

**ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS.** Roundup Ready® crops contain genes that confer tolerance to glyphosate, the active ingredient in Roundup® brand agricultural herbicides. Roundup® brand agricultural herbicides will kill crops that are not tolerant to glyphosate.

**RR2** Contains the Roundup Ready® Corn 2 trait that provides crop safety for over-the-top applications of labeled glyphosate herbicides when applied according to label directions.

**AQ Optimum® AQUAmax® product.** Product performance in water-limited environments is variable and depends on many factors, such as the severity and timing of moisture deficiency, heat stress, soil type, management practices and environmental stress, as well as disease and pest pressures. All products may exhibit reduced yield under water and heat stress. Individual results may vary.

**SmartStax®** multi-event technology developed by Corteva Agriscience and Monsanto. ®SmartStax and the SmartStax Logo are registered trademarks of Monsanto Technology LLC. Always follow IRM, grain marketing and all other stewardship practices and pesticide label directions. B.t. products may not yet be registered in all states. Check with your seed representative for the registration status in your state.

**POWERCORE®** is a registered trademark of Bayer Group. POWERCORE® multi-event technology developed by Corteva Agriscience and Bayer Group. Liberty®, LibertyLink® and the Water Droplet Design are registered trademarks of BASF. ®Roundup and Roundup Ready are registered trademarks of Bayer Group. Always follow IRM, grain marketing and all other stewardship practices and pesticide label directions. B.t. products may not yet be registered in all states. Check with your seed representative for the registration status in your state.

Powercore® Enlist® Refuge Advanced® corn products with HX1, VTP, ENL, LL, RR2. Contains a single-bag integrated refuge solution for above-ground insects. In EPA-designated cotton-growing counties, a 20% separate corn borer refuge must be planted with PowerCore Enlist Refuge Advanced products.

**Vorceed® Enlist®** products with V, LL, RR, ENL. Contains a single-bag integrated refuge solution with multiple modes of action for above- and below-ground insects. The major component contains the Herculex® XTRA genes, the RW3 trait and the VTP trait. In EPA-designated cotton growing counties, a 20% separate corn borer refuge must be planted for Vorceed Enlist products.

The transgenic soybean event in Enlist E3® soybeans is jointly developed and owned by Corteva Agriscience and M.S. Technologies L.L.C.

Corteva Agriscience products are commercialized in accordance with ETS Product Launch Stewardship Guidance and in compliance with the Corteva Agriscience policies regarding stewardship of those products. In line with these guidelines, our product launch process for responsible launches of new products includes a longstanding process to evaluate export market information, value chain consultations, and regulatory functionality. Growers and end-users must take all steps within their control to follow appropriate stewardship requirements and confirm their buyer's acceptance of the grain or other material being purchased. For more detailed information on the status of a trait or stack, please visit [www.biotradestatus.com](http://www.biotradestatus.com).

Following burndown, Enlist Duo® and Enlist One® herbicides with Colex-D® technology are the only herbicides containing 2,4-D that are authorized for preemergence and postemergence use with Enlist® crops. Consult Enlist® herbicide labels for weed species controlled. Enlist Duo and Enlist One herbicides are not registered for use or sale in all states and counties; are not registered in AK, CA, CT, HI, ID, MA, ME, MT, NH, NV, OR, RI, UT, VT, WA and WY; and have additional subcounty restrictions in AL, GA, TN and TX, while existing county restrictions still remain in FL. All users must check "Bulletins Live! Two" no earlier than six months before using Enlist One or Enlist Duo. To obtain "Bulletins," consult [epa.gov/espp/](http://epa.gov/espp/), call 1-844-447-3813, or email [ESPP@epa.gov](mailto:ESPP@epa.gov). You must use the "Bulletin" valid for the month and state and county in which Enlist One or Enlist Duo are being applied. Contact your state pesticide regulatory agency if you have questions about the registration status of Enlist® herbicides in your area. ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS. IT IS A VIOLATION OF FEDERAL AND STATE LAW TO USE ANY PESTICIDE PRODUCT OTHER THAN IN ACCORDANCE WITH ITS LABELING. ONLY USE FORMULATIONS THAT ARE SPECIFICALLY LABELED FOR SUCH USE IN THE STATE OF APPLICATION. USE OF PESTICIDE PRODUCTS, INCLUDING, WITHOUT LIMITATION, 2,4-D-CONTAINING PRODUCTS NOT AUTHORIZED FOR USE WITH ENLIST CROPS, MAY RESULT IN OFF-TARGET DAMAGE TO SENSITIVE CROPS/AREAS AND/OR SUSCEPTIBLE PLANTS, IN ADDITION TO CIVIL AND/OR CRIMINAL PENALTIES. Additional product-specific stewardship requirements for Enlist crops, including the Enlist Product Use Guide, can be found at HYPERLINK "<https://www.traitstewardship.com/>"www.traitstewardship.com.

Excellence Through Stewardship® is a registered trademark of Excellence Through Stewardship. Always follow grain marketing, stewardship practices and pesticide label directions. All products are trademarks of their respective manufacturers.

™ \* Trademarks of Corteva Agriscience and its affiliated companies. © 2024 Corteva.